



03-18-02

03-00

✓✓✓

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Belef, W.

Examiner: Unknown

Serial No.: 10/039,102

Group Art Unit: 3738

Filing Date: January 4, 2002

Docket No.: 1001.1423101

For: ENDOVASCULAR GUIDEWIRE FILTER AND METHODS OF USE

TRANSMITTAL SHEET

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

CERTIFICATE UNDER 37 C.F.R. 1.10 The undersigned hereby certifies that this paper or papers, as described herein, are being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of EL837558854US, in an envelope addressed to: "Assistant Commissioner for Patents, Washington, D.C. 20231 on this 13 day of March, 2002.


By:


JoAnn Lindman

We are transmitting herewith the attached:

- Notice to File Corrected Application Papers – Part 2.
- Letter to Official Draftsperson
- [X] 12 sheets of Formal Drawings.
- Postcard receipt.
- Please charge any deficiencies or credit any overpayment in the enclosed fees to Deposit Account No. 50-0413.

By:


Glenn M. Seager, Reg. No. 36,926

CROMPTON, SEAGER & TUFTE, LLC
331 Second Avenue South
Suite 895
Minneapolis, Minnesota 55401-2246
Telephone: (612) 677-9050
Facsimile: (612) 359-9349



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/039,102	01/04/2002	W. Martin Belef	1001.1423101

CONFIRMATION NO. 8656

FORMALITIES LETTER



OC000000007443526

Glenn M. Seager
CROMPTON, SEAGER & TUFTE LLC
331 Second Avenue South, Suite 895
Minneapolis, MN 55401-2246

Date Mailed: 02/07/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

W. Martin Belef
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



P A T E N T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Belef, W.

Examiner: Unknown

Serial No.: 10/039,102

Group Art Unit: 3738

Filing Date: January 4, 2002

Docket No.: 1001.1423101

For: ENDOVASCULAR GUIDEWIRE FILTER AND METHODS OF USE

LETTER TO OFFICIAL DRAFTSPERSON

Assistant Commissioner
for Patents
Washington, D.C. 20231

CERTIFICATE UNDER 37 C.F.R. 1.10: The undersigned hereby certifies that this paper or papers, as described herein, are being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of: EL837558854US, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C., 20231 on this 13 day of March, 2002.

By

JoAnn Lindman
JoAnn Lindman

Dear Sir:

Submitted herewith are twelve (12) sheets of formal drawings for filing in the above-identified application.

Respectfully submitted,

W. MARTIN BELEF

By his Attorney,

Glenn M. Seager
Glenn M. Seager, Reg. No. 36,926
CROMPTON, SEAGER & TUFTE, LLC
331 Second Avenue South
Suite 895
Minneapolis, Minnesota 55401-2246
Tel: (612) 677-9050

Date: March 13, 2002